



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF LEAF MINERS IN VARIOUS VEGETABLE CROPS**

PERMIT NUMBER – PER90387

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 3 DECEMBER 2020 TO 31 DECEMBER 2023

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

BENEVIA INSECTICIDE (APVMA No. 66684)

Containing: 100 g/L CYANTRANILIPROLE as the only active constituent.

RESTRAINT:

Follow all restraints (including spray drift restraints) on the product label, except where contradicted by this permit.

Toxic to bees. Will kill foraging bees directly exposed through contact during spraying and while spray droplets are wet. May harm bees in hives which are oversprayed or reached by spray drift. Beekeepers who are known to have hives in, or nearby, the area to be sprayed should be notified no less than 48 hours prior to the time of the planned application so that bees can be removed or otherwise protected prior to spraying.

Directions for Use:

Crop	Pest / Disease	Rate
Bulb vegetables Fruiting vegetables (all) Potatoes	Leaf miners (<i>Liriomyza</i> spp.) Including: Vegetable leaf miner (<i>Liriomyza sativae</i>) Pea leaf miner/Serpentine leaf miner (<i>Liriomyza huidobrensis</i>) American serpentine leaf miner (<i>Liriomyza trifolii</i>)	750 mL/ha

Critical Use Comments:

- Apply first spray when *Liriomyza* leaf miners first appear.
- Apply as a foliar treatment by ground boomspray or equivalent, or by aerial equipment as specified on the product label.
- Use a spray volume sufficient to ensure thorough coverage of the crop. Adjust volume to crop growth stage. For aerial applications, use at least 30 L/ha.
- Maximum number of treatments:
 - Fruiting vegetables (all): DO NOT apply more than 2 applications per crop.
 - Bulb vegetables and potatoes: DO NOT apply more than 3 applications per crop.
- DO NOT apply less than 7 days after the initial treatment.
- Refer to the product label for instructions on surfactant/wetting agent compatibility.
- Use in accordance with any relevant CropLife insecticide resistance management strategies. Refer to the product label for specific resistance management instructions.

Withholding Period:

Harvest:

- Fruiting vegetables (all): DO NOT harvest for 1 day after application.
- Bulb vegetables and potatoes: DO NOT harvest for 7 days after application.

Grazing: Do not graze or cut for stock food.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Issued by the Australian Pesticides and Veterinary Medicines Authority